




Model ISA08-06S 8-Foot x 6-Foot Ice Shield



Weight			
No Ice		1/2-inch (13mm) Ice	
1175-lbm	533.0-kg	1225-lbm	555.7-kg
Effective Projected Area			
Normal			
No Ice		1/2-inch (13mm) Ice	
28.7-ft ²	2.67-m ²	33.5-ft ²	3.11-m ²
Transverse			
No Ice		1/2-inch (13mm) Ice	
35.8-ft ²	3.33-m ²	45.9-ft ²	4.26-m ²



The ERI model ISA-08-06S is a galvanized steel leg mounted ice shield with standard models that includes tiebacks for uniform cross-section tower face sizes from 4.00-feet (1219-mm), to 12.00-feet (3658-mm). Each ice shield includes leg mount brackets to attach to round tower members from 1.25-inch (32-mm) to 8.00-inch (203-mm) in diameter

Part Number	Description
ISA08-06S-05	Dish or Antenna Ice Shield, steel, 8.00-feet (2438-mm) wide by 6.00-feet (1829-mm) deep (out from tower), includes hardware for leg mounting on 1.25-inch (32-mm) to 8.00-inch (203-mm) in diameter leg on uniform cross section tower with up to a 5.00-foot (1524-mm) face
ISA08-06S-07	Dish or Antenna Ice Shield, steel, 8.00-feet (2438-mm) wide by 6.00-feet (1829-mm) deep (out from tower), includes hardware for leg mounting on 1.25-inch (32-mm) to 8.00-inch (203-mm) in diameter leg on uniform cross section tower with up to a 7.00-foot (2134-mm) face.
ISA08-06S-12	Dish or Antenna Ice Shield, steel, 8.00-feet (2438-mm) wide by 6.00-feet (1829-mm) deep (out from tower), includes hardware for leg mounting on 1.25-inch (32-mm) to 8.00-inch (203-mm) in diameter leg on uniform cross section tower with up to a 12.00-foot (3658-mm) face.

Please note, the listed weights and effective wind areas are based upon standard designs. Actual values may vary on a project by project basis. Please contact ERI if more accurate values are required.